

IN THE CLAIMS

Please amend claim 9 as follows:

1. (Previously presented) A process for controlling the applications that a computer user may run on a multi-user system, comprising the steps of:
 - automatically using a security executable on the multi-user system in user mode to create a list of authorized applications in a database of the multi-user system for the computer user when the computer user logs on to the multi-user system;
 - attaching a hook function in user mode to all new applications;
 - employing the hook function whenever a new application is started to send a message to the security executable in user mode, said message including the ID and path of the new application;
 - receiving said message from the hook function at the security executable and correlating to said list to determine whether the new application is authorized;
 - answering the message by the security executable when the new application is authorized and;
 - stopping the new application when the new application is not authorized.
2. (Previously Presented) A system for controlling the applications that a computer user may run on a multi-user system, comprising:
 - a security executable in user mode for creating a list of authorized applications in a database of the multi-user system for the computer user;
 - a hook function which is automatically attached to all new applications in user mode when the computer user logs on to the multi-user system;
 - means for querying an ID of each said new application; and
 - means for sending a message with the application ID and the path of the application being examined using said security executable;
 - means for retrieving the ID of each new application;
 - means for terminating each new application not identified on said list of allowed applications; and

means for answering a message when the application is identified on said list of allowed applications.

3. Cancelled.

4. (Previously Presented) The system for controlling the applications that a computer user may run according to claim 2, wherein said hook function is attached to said new applications by using a system dynamic link library.

5. Cancelled.

6. Cancelled.

7. Cancelled.

8. Cancelled.

9. (Currently Amended) A process for controlling the applications that computer users may run on a network ~~environment~~, comprising the steps of:
using a security executable on the ~~multi-user-system~~ network in user mode to create and maintain a list of authorized applications in a database of the ~~multi-user-system~~ network and IDs for each computer user when the computer user logs on to the network;
attaching a hook function to all new applications;
monitoring all new applications that are started with the hook function and determining an application ID thereof;
receiving said application ID from the hook function by the security executable;
determining whether the application ID of each started application is on said list;
allowing said application to continue when its application ID is on the list; and
terminating said application when its application ID is not on the list.